BRUHAT BANGALORE MAHANAGARA PALIKE

Name of work: Package1 a Improvements to playgrounds at Thanisandra Village at Ward No 06 b Improvements to Suvarana Mahotsava Play Ground on Vidyaranyapura Main road at Ward No 09 c Improvements to playgrounds at Ward No 11 Kuvempunagarad Developmental Works to Play ground stadium in Ward No 05 Jakkur e Developmental works to Play ground Stadium Sahakaranagara Ward No 08 Kodigehalli

Agency:-BALAKRISHNA ARUN KUMAR

SCHEDULE-B

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
1	7.76	Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300mm, removal of stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, including removal and disposal of top organic soil not exceeding 150 mm in thickness complete as per specifications. I. By Manual Means: A. In area of light jungle. MORTH Specification No. 201. as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Hectare	55427.65	Rupees Fifty Five Thousand Four Hundred Twenty Seven And Paise Sixty Five Only
2	35862.98	Excavation for road way in all types of soil by mechanical means including cutting and pushing the earth to site of embankment including trimming bottom and side slopes in accordance with requirements of lines, grades and cross sections complete as per specifications. MORTH Specification No. 301. as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	198.91	Rupees One Hundred Ninety Eight And Paise Ninety One Only
3	1861.66	Earthwork excavation and forming in embankment by manual means in hard soil (When earth is taken from bank cutting or from borrow pits) including breaking of clods, spreading to required line and level, forming, and cost of all labour complete as per specifications. (excluding watering and compaction of earth) (with all lead and lift) MORTH / Chapter 3as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	178.04	Rupees One Hundred Seventy Eight And Paise Four Only
4	4750	Removing stumps, tree roots, roots of bamboo cluster etc., with 8.2.2 girth above 1.50 m and upto 3.00 m including excavation, stacking materials neatly and levelling area etc., complete with lead upto 50 m and all lifts. (WRD 2014-2015, Page 148, Item No WRD 8.2.2)as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Each	92.40	Rupees Ninety Two And Paise Forty Only
5	19749.63	Construction of embankment with approved material Gravel /Murrum with all lifts and leads, transporting to site, spreading, grading to required slope and compacting to meet requirement Table 300-2 complete as per specifications, including cost of gravel / murrum, watering charges & compaction by vibratory roller to 95% of proctors density. MORTH Specification No. 305.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	342.47	Rupees Three Hundred Forty Two And Paise Forty Seven Only
6	2885	Providing and fixing pre cast solid cement concrete kerb stones made out of C.C. 1:2:4 with top and bottom width 114 and 165 mm respectively, 400mm high and 450mm in length finished with CM 1:3 plastering and finishing cutting, including form work, curing, including cost of all materials, labour, hire charges of machinery, loading, unloading, lead and lift, transportation etc., complete.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Nos	412.78	Rupees Four Hundred Twelve And Paise Seventy Eight Only
7	2667	Providing granite slabs of selected quality roughly dressed and fixed in cement mortar (1:6) including fixing curing etc., complete. - do - 7.5 cms thickas per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	712.15	Rupees Seven Hundred Twelve And Paise Fifteen Only

Contractor

Executive Engineer
Project Division
Velahanka Zone
Bangalore

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
8	752.86	Providing and laying in position plain cement concrete of mix 1:4:8 with OPC cement @ 180Kg, with 40mm and down size graded granite metal coarse aggregates @0.85cum and fine aggregates @ 0.57cum machine mixed, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation, including cost of all materials, labour, HOM of machinery, curing complete as per specifications. Specification No. KBS 4.1,4.2as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	5519.18	*Rupees Five Thousand Five Hundred Nineteen And Paise Eighteen Only*
9	1379.8	Providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1 : 6 stone hammerd dressed in courses not less than 20 ems high, bond stones at 2m. apart in each course including cost of materials, labour, curing complete as per specifications. KBS 5.1.13 as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	4748.06	*Rupees Four Thousand Seven Hundred Forty Eight And Paise Six Only*
10	242.51	Providing and laying in position plain cement concrete of mix 1:2:4 with cement@ 240Kg, with 20mm and down size graded granite metal coarse aggregates @ 0.878 cum and fine aggregtes @ 0.53cum, machine mixed, concrete laid in layers not exceeding 15 ems. thick, well compacted, in foundation, plinth and cills, ncluding cost of all materials, labour, HOM of machinery, curing complete as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	6170.09	*Rupees Six Thousand One Hundred Seventy And Paise Nine Only*
11	413.08	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical Specification complete as per specifications. A. Granular material MORTH Specification No. 2204as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	594.22	*Rupees Five Hundred Ninety Four And Paise Twenty Two Only*
12	6942.3	Providing chain link fencing 50mm size of 8 guage properly stretched between existing rectangular poles and fixed with suitable bolts & nuts, the free ends shall be welded to the pole and block pipe at top and bottom as required including cost of all materials, labour, lead and lifts and as per the directions of the Engineer-in-charge of work including two coats of approved quality paint over one coat of shop paint as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	747.31	*Rupees Seven Hundred Forty Seven And Paise Thirty One Only*
13	4098.22	Supplying and fixing M.S. Rectangular poles made out of 2 equal angles of 65x65x6 mm welded together and fixed in CC (1 :2:4) WITH 2 NOS 16mm dia M.S. hold fast rods each of length 25 ems. Including cost of all materials cutting, bending scaffolding wherever necessary, nicely finishing the welded joints with all lead lifts and as per the directions of the Engineer-in - charge of the work and including providing 2 coats of approved quality paint over one coat of shop painting (excluding cost of earthwork and concrete) as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	M	928.75	*Rupees Nine Hundred Twenty Eight And Paise Seventy Five Only*
14	8646	Providing and fixing M.S. Block pipe of 38mm dia, of heavy guage of 14 including removing the bends, cutting the pipe, and fixing pipe in between the existing two verticle poles (M.S. rectangular poles) and spot welding the chain link with M.S. block pipe including cost of all materials wastage in cutting, and scaffolding wherever necessary with all lead and lift as directed by the Engineer-in-charge of work etc., complete including two coats of approved quality paint over one coat of shop paint (BCSR 2016-2017, Page 262, Item No 37.4)as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	M	367.42	*Rupees Three Hundred Sixty Seven And Paise Forty Two Only*

Contractor

Executive Engineer,
Project Division

Executive Engineer
Project Division
Yelahanka Zone
Bangalore

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
15	67.2	Providing and fixing M.S. Gate as per Chief Architect Drawing, using 50mm x 50mm 14 guage M.S. hollow pipe frame work bent to ornamental shape as shown in the drawing and 35mm x 6mm and 16 x 16mm Square rods for verticals alternatively spaced at 4cms c/c in two halves and 40mmx6mm M.S. flats for horizontal member and at the top cast iron spikes are provided at alternate vertical members as shown in the drawing etc., complete. All the steel surface should be thoroughly cleaned free of rust and painted with anti corrosive paint (shop paint) etc., complete. The work includes cost of all materials, labour charges for all items of work, hire charges for welding, cutting and grinding equipment, and electricity charges, with lead and lift, loading and unloading charges, etc., complete as per specification.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	3327.16	*Rupees Three Thousand Three Hundred Twenty Seven And Paise Sixteen Only*
16	428.47	Providing and laying in position reinforced cement concrete of design mix M25 with OPC cement @ 340Kg, with 20mm and down size graded granite metal coarse aggregates @0.70cum and fine aggregtes @ 0.47cum, with superplastisiser @3lts confirming to IS9103-1999 Reaffirmed-2008, machine mixed, concrete laid in layers not exceeding 15 cms thick, vibrated for all works in ground floor level for roof slabs, staircase, Unties and beams retaining walls, return walls, walls (any thickness) including attached pilasters, columns, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window cills, fillets etc., including cost of all materials, labour, HOM of machinery, curing, complete but excluding cost of reinforcement as per specifications. Specification No. KBS 4.1,4.6as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	7220.18	*Rupees Seven Thousand Two Hundred Twenty And Paise Eighteen Only*
17	2112	Vaccum de-watering with vaccum pump and suction mat and compaction with skin floater dubbed with floating disc including cost of generator, HOM of machinery, Screed Vibratory, Power Floater, blade and disc etc., with all lead and lift.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	102.06	*Rupees One Hundred Two And Paise Six Only*
18	99	Providing and constructing load bearing wall with solid concrete blocks of size 400x150x200 mm having block density not lessthan 1800 kg/m3 and having a minimum average compressive strength 5.00 N/mm2 confirming to IS 2185 (Part) : 2005 and constructed with CM 1:4 , as per IS 2572:2005 including cost of all materials, labour charegs, scaffolding, curing complete as per specifications. KBS No.5.4 as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	942.35	*Rupees Nine Hundred Forty Two And Paise Thirty Five Only*
19	2300.7	Painting two coats after filling the surface with synthetic enamel paint in approved shades on new plastered concrete surfaces, with materials, labour complete as per specifications. MORTH Chapter 8. ---- All terms and conditions are as per Tender Document	Sqm	68.04	*Rupees Sixty Eight And Paise Four Only*
20	118.57	Providing and laying plain / reinforced cement concrete for side drains using M20 nominal mix concrete with OPC cement at 300 Kg. with 20mm and down size granite metal coarse aggregates at 0.69 cum and fine aggregates at 0.43 cum machine mixed, well compacted for walls and bottom including centering, shuttering, cost of materials, HOM of machinery, curing etc., complete excluding cost of steel as per MORTH specification No. 1500,1700,2200. - do - Wall & Bottom thickness 15cm ---- All terms and conditions are as per Tender Document	Cum	7867.69	*Rupees Seven Thousand Eight Hundred Sixty Seven And Paise Sixty Nine Only*
21	29.01	Providing TMT steel reinforcement for RCC works including straightening, cutting, bending, hooking, placing in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM of machinery complete as per specifications. Specification No. KBS 4.6.3. - do - TMT bars Fe 500. ---- All terms and conditions are as per Tender Document	Tonne	68728.34	*Rupees Sixty Eight Thousand Seven Hundred Twenty Eight And Paise Thirty Four Only*

Contractor

Executive Engineer,
Project Division,
Yelahanka Zone,
Bangalore

18/12/17

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
22	1480.4	Providing and fixing to wall, ceiling and floor galvanised / mild steel tube 50mm dia nominal bore with fittings (medium grade weight 5.24kg/M) B class including cost of all materials, labour charges, HOM of equipments and testing complete as per specifications. Specification No.KBS 13.2.14 / 13.8 (BCSR 2016-2017, Page 90, Item No 13.6) ---- All terms and conditions are as per Tender Document	M	578.34	*Rupees Five Hundred Seventy Eight And Paise Thirty Four Only*
23	1377	Fabrication supplying and erecting M.S. tubular trusses of all spans as per approved drawing & design with prefabricated steel applications using quality material and are durable, reliable and corrosion and abrasion resistant. Welding shall confirm to latest structural welding code. Quality shall be on various parameters like shape, size, design gauge and polish. The entire trusses is anchored in RCC column by using 4 nos of M.S. anchor bolts at each support with 10mm thick base plate and shoe plate. The work includes cutting, straightening, placing in position of M.S. pipes and welding wherever necessary and applying one coat of redoxide primer coat to all the members including cost of all materials, labour charges, and hire charges of machineries for cutting, welding, grinding and erection equipments, with all lead and lift, transportation, letc., complete as per specification ---- All terms and conditions are as per Tender Document	Kg	124.74	*Rupees One Hundred Twenty Four And Paise Seventy Four Only*
24	8.05	Fabrication supplying and erecting Basket over Prelaminated board 19 mm thick of approved lamination on both side fixed over the pillar, as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	799.47	*Rupees Seven Hundred Ninety Nine And Paise Forty Seven Only*
25	2223	Wire mesh surround the ground for wind protection to play area, with the resistance to flow of wind upto 70 to 80% and visibility of upto 30%. The gauge of the fiber is of about 0.25mm, the fibers should be tied firmly to the provided Poles (excluding the rate of poles) such that the mesh stands stiff as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	365.15	*Rupees Three Hundred Sixty Five And Paise Fifteen Only*
26	16.32	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts complete as per specifications. ii) Dismantling Brick I Tile work. MORTH Specification No. 202KSRRB M200-14.2. -do- Dismantling brick/Tile work B.In cement mortar. as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	276.70	*Rupees Two Hundred Seventy Six And Paise Seventy Only*
27	4.52	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts complete as per specifications. KSRRB M200-17.2. -do- v)Steel work in all types of Sections upto a Height of 5 m above plinth level excluding Cutting of Rivet- B. Excluding dismembering.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Tonne	1029.67	*Rupees One Thousand Twenty Nine And Paise Sixty Seven Only*
28	48.24	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts complete as per specifications. KSRRB M200-17.2. -do- v)Steel work in all types of Sections upto a Height of 5 m above plinth level excluding Cutting of Rivet- B. Excluding dismembering. as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	202.99	*Rupees Two Hundred Two And Paise Ninety Nine Only*

Contractor

Executive Engineer,
Project Division

Executive Engineer
Project Division
Yelahanka Zone
Bangalore

18/12/1

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
29	175.14	Earthwork excavation for foundation of buildings, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m and above in width, including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. after breaking of clods complete as per specifications. complete, all as per specification and direction of the Engineer-in-Charge including the cost and conveyance of all materials, cost of labour for all items of work, equipment and other incidental charges for the successful completion of the work.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	214.33	*Rupees Two Hundred Fourteen And Paise Thirty Three Only*
30	151.12	Providing and Injecting chemical emulsion for Pre-constructional Anti-termite Treatment by supplying and spraying chemicals chloropyriphos emulsifiable concentrates of 20% concentration, as per IS:6313-1981 and in accordance with manufacturer's specifications with lead and lift for all materials, creating a chemical barrier under and alround the column pits, wall trenches, basement excavations, top surface of plinth, junction of wall and floor, along the external perimeter of building, expansion joints, surroundings of pipes and conduits etc., complete including cost and conveyance of all materials and other incidental charges and as per the directions of the Engineer-in-Charge. (Plinth area of the building at the ground floor only shall be measured).as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	116.80	*Rupees One Hundred Sixteen And Paise Eighty Only*
31	33.44	KSRB 4.2.2: Providing and laying in position reinforced cement concrete of design mix M20, with 20mm and down size graded granite metal coarse aggregates and fine aggregtes, with superplastisiser confirming to IS 9103-1999 Reaffirmed-200B, machine mixed, concrete laid in layers not exceeding 15 cms thick, vibrated for all works in foundation plinth and ground floor level for roof slabs, staircase, lintles, retaining walls, return walls, walls (any thickness) including attached pilasters,columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window Sills, fillets etc., including cost of all materials, labour, HOM of machinery, curing, complete as per specifications. and directions of Engineer-in-charge for the successful completion of the work. (excluding centering & shuttering works, cost of steel & fabrication charges).as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Cum	6816.47	*Rupees Six Thousand Eight Hundred Sixteen And Paise Forty Seven Only*
32	77.22	Providing and removing centering, shuttering. strutting, proping etc. and removal of form work for foundations, footings, bases of columns for mass concrete including cost of all materials, labour complete as per specifications.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	261.95	*Rupees Two Hundred Sixty One And Paise Ninety Five Only*
33	124.61	Providing and removing centering, shuttering. strutting, proping etc. and removal of form work for columns, pillars, piers, abutments, posts and struts, square / rectangular / polygon in plan including cost of all materials, labour complete as per specifications.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	290.30	*Rupees Two Hundred Ninety And Paise Thirty Only*
34	132.48	Providing and constructing load bearing wall with solid concrete blocks having block density not less than 1800kg/m3 having a minimum average compressive strength of 5.00 N/mm2 confirming to IS 2185 (Part 1):2005 and constructed with CM 1:4, as per IS 2572:2005 including cost of all materials labour charges, scaffolding, curing, hire charges of machineries etc., complete as per specifications. KBS No.5.4 with solid concrete blocks of size 400x200x200mm as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	1062.56	*Rupees One Thousand Sixty Two And Paise Fifty Six Only*
35	111.64	Providing 12mm thick plain plastering in single coat to internal ceiling & RC surfaces in cement mortar 1:4 (1 cement : 4 fine sand) including providing & removing necessary scaffolding, rounding of corners wherever required, smooth rendering with lime, curing etc. including cost of all materials, formwork, labour charges, HOM of Machineries, loading, unloading ,with all lead and lifts etc., compelte & as per specification and as directed by Engineer. ---- All terms and conditions are as per Tender Document	Sqm	201.85	*Rupees Two Hundred One And Paise Eighty Five Only*

Contractor

Executive Engineer,
Project Division

Executive Engineer
Project Division
Yelahanka Zone
Bangalore

Sl No	App Qty	Description of work	Approved Rates of BALAKRISHNA ARUN KUMAR		
			Unit	Rate in Words	Rate in Figures
1	2	3	4	5	6
36	808.49	Providing 15mm thick plain plastering in single coat to external masonry surfaces, in cement mortar 1:4 (1 cement : 4 fine sand) including providing & mixing water proofing compound of approved quality and make as admixture to cement mortar as per manufacturer's specifications, providing & removing necessary scaffolding, rounding of corners wherever required, sponge finishing, curing etc. including cost of all materials, formwork, labour charges, HOM of Machineries, loading, unloading ,with all lead and lifts etc., as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	222.26	*Rupees Two Hundred Twenty Two And Paise Twenty Six Only*
37	31.92	Providing 15mm thick rough plastering in single coat to internal / external surfaces, in cement mortar 1:4 (1 cement : 4 fine sand) including finishing rough to receive tiling work, providing & removing necessary scaffolding, curing etc. including cost of all materials, formwork, labour charges, HOM of Machineries, loading, unloading ,with all lead and lifts etc., as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	200.72	*Rupees Two Hundred And Paise Seventy Two Only*
38	485.68	Providing applying two coats of wall putty to inside plastered walls and ceiling using white cement putty. Scrapping and levelling the surface using steel blade and preparing the surface even and smooth by using different grade sand papers, including cost of all materials, cost of labour and scaffolding etc., complete as per the specification. KSRB 15-15.1 : Providing and applying painting in two coats with plastic emulsion paint of approved brand on wall surface to give an even approved shade after thoroughly brushing the surface, free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications.. with primer Internal Masonry wall surfaces as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	144.02	*Rupees One Hundred Forty Four And Paise Two Only*
39	170.47	Providing and finishing external walls in two coats with waterproof cement paint of approved brand and shade to give an even shade after throughly brooming the surface to remove all dirt and loose powdered material, free from mortar drops and other foreign matter cost of materials, labour, complete as per specifications. - with primer as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	95.26	*Rupees Ninety Five And Paise Twenty Six Only*
40	9	Applying red lead ready mix priming coat over new steel or other metal surface including preparing the surface after throughly cleaning oil, grease, dirt and other foreign matter, and scoured with wire brushes, fine steel wool, sand papers including cost of materials, labour, complete as per specifications. KSRB 15-18.2 : Providing and applying enamel metal paint two coats (excluding priming coat) over new steel or other metal surface brushing to give an even shade after cleaning oil, grease, dirt and other foreign matter, including cost of materials, labour, complete as per specifications.as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	125.87	*Rupees One Hundred Twenty Five And Paise Eighty Seven Only*
41	100.75	KSRB 14.14-5: Providing Ceramic tiles of approved make,shade and size for flooring, treads of steps and landings laid on a bed of 12mm thick, cement mortar 1 :3 mix, flush pointing with white cement using colour pigment , including cost of materials, labour, curing, complete as per specifications.Specification No. KBS for Ceramic Tiles 30cm x 60cm 6mm thick, on a bed of 20mm thick as per direction of Engineer-in-charge ---- All terms and conditions are as per Tender Document	Sqm	1335.85	*Rupees One Thousand Three Hundred Thirty Five And Paise Eighty Five Only*

Contractor

Executive Engineer,
Project Division

Executive Engineer
Project Division
Yelahanka Zone
Bangalore